

To: Roberts, Kris D.[kroberts@nd.gov];
Jessica_n_johnson@fws.gov[Jessica_n_johnson@fws.gov]; dcawthon@cteh.com[dcawthon@cteh.com]
Cc: Guy, Kerry[Guy.Kerry@epa.gov]
From: Peronard, Paul
Sent: Tue 7/29/2014 6:39:06 PM
Subject: FW: Water Sampling Data
[removed.txt](#)
[d60160.pdf](#)

Hey All,

Attached are the GRO results we were forwarded from the lab. . Please note that the surrogate (1,2,4 tri-chlorobenzene) was not detected but was used by the lab as a spike to assess the column recovery. I will forward more data as we get it. We should be getting DRO, VOCs, and SVOCs as well.

David, if you could forward this to the folks at Red River and Garner I'd be much obliged. Also, I can't find the e-mail for Todd Lindquist or Jeff Keller, with the Corp. I'll keep looking, but if any of y'all have could you forward them the data and send me their e-mails?

Paul


From: Robinson, David [mailto:David.Robinson@WestonSolutions.com]
Sent: Tuesday, July 29, 2014 12:15 PM
To: Peronard, Paul
Subject: FW: Water Sampling Data

The GRO results are attached. All samples were taken from the relief ditch between Broadway Street and the railroad tracks. 01, 02, and 03 were collected on the afternoon of 7/23 and 04 and 05 were collected on 7/24 from the same general areas. Note that sample 03 contained something that caused the sample to foam and dilution was required to analyze it. The MDL is very high and this point may not be very useful.

The DRO results will be arriving shortly.

Thanks,

Dave Robinson



WESTON Solutions, Inc.

1435 Garrison Street, #100

Lakewood, CO 80215

303-729-6181 (office)

937-572-3630 (cell)

www.westonsolutions.com

"Think you can, think you can't, either way you're right" Henry Ford

From: Robinson, David
Sent: Tuesday, July 29, 2014 9:28 AM
To: Peronard, Paul
Cc: Lucotch, John; Guy, Kerry
Subject: Re: Water Sampling Data

I just got the results. I'll forward shortly

Sent from my Verizon Wireless 4G LTE DROID

"Peronard, Paul" <Peronard.Paul@epa.gov> wrote:

What I thought. Thanks. By the way. You're kicking much ass on data support.

paul

From: Lucotch, John <John.Lucotch@WestonSolutions.com>
Sent: Tuesday, July 29, 2014 8:40:22 AM
To: Peronard, Paul; Guy, Kerry
Cc: Robinson, David
Subject: RE: Water Sampling Data

From my understanding it is only monitoring data. We should be getting lab data today and Dave will then upload to Scribe today.

Thanks


John

John Lucotch

GIS Lead START Region 8

Weston Solutions, Inc.

Cell: 970-301-1416



From: Peronard, Paul [<mailto:Peronard.Paul@epa.gov>]
Sent: Tuesday, July 29, 2014 8:35 AM
To: Lucotch, John; Guy, Kerry
Cc: Robinson, David

Subject: Re: Water Sampling Data

Hey John, is this lab as well as monitoring data?

From: Lucotch, John <John.Lucotch@WestonSolutions.com>

Sent: Tuesday, July 29, 2014 8:28:00 AM

To: Guy, Kerry

Cc: Peronard, Paul; Robinson, David

Subject: Water Sampling Data

Water Sampling Data has been updated through yesterday on the viewer.

http://epaossc.org/site/map_list.aspx?site_id=9398

Thanks


John

John Lucotch

GIS Lead START Region 8

Weston Solutions, Inc.

Cell: 970-301-1416



CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you. --